






PCB PATTERN DIMENSION



CL



CIRCUIT DIAGRAM



NO	PARTS NAME	MATERIAL	SPECIFICATION	Q'TY	FINISH
1	STEM	PA9T		1	
2	COVER	PA9T		1	
3	PAD	EPDM		1	
4	CONTACT	STAINLESS	Ag-STS 301	1	Ag PLATE
5	CASE	PA9T		1	
6	TERMINAL	BRASS		1	Ag PLATE

SPECIFICATIONS

1. RATING : DC 12V / 50mA MAX.
2. CIRCUIT : 1C - 1P
3. OPERATING FORCE : 180 / 230 ±50gf
4. CONTACT RESISTANCE : 50mΩ MAX.
5. TRAVEL : 0.35 ±0.15mm
6. OPERATING LIFE : 100000 CYCLES MIN.
7. WATERPROOF LEVEL : IP 67
8. NON SPECIFIED DIMENSIONS TOLERANCE : ±0.3mm

MODEL NO	"L"
1120SA	4.3
1120SB	4.5
1120SC	5.0
1120SD	6.0
1120SE	6.5
1120SF	7.0
1120SG	8.0
1120SH	8.5
1120SJ	9.0
1120SK	9.5
1120SL	10
1120SM	11
1120SN	11.5
1120SP	12
1120SQ	13

NO	PARTS NAME	MATERIAL	SPECIFICATION	Q'TY	FINISH	REFERENCE
			GENERAL TOLERANCE (UNLESS SPECIFIED)	SCALE	UNIT	TITLE
			±0.3	N/S	METRIC	1120S
				THIRD ANGLE PROJECTION	SIZE	DOCUMENT NUMBER
					A4	1120S
			DRAWN BY	CHECKED BY	APPROVED BY	
REV	DESCRIPTION	DATE				